

Number	Hits	Search Text	DB	Time stamp
-	2392	(118/715,728).CCLS.	USPAT; US-PGPUB	2002/05/05 18:50
-	722	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	USPAT; US-PGPUB	2002/05/06 11:27
-	94	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) same (actuator spring lock tab))	USPAT; US-PGPUB	2002/05/03 16:27
-	13	5584936.URPN.	USPAT	2002/05/03 13:54
-	33	4978412.URPN.	USPAT	2002/05/03 14:08
-	2	kroneberger.in.	USPAT; US-PGPUB	2002/05/03 14:26
-	1	5820684.URPN.	USPAT	2002/05/03 14:41
-	1	"4971676".PN.	USPAT	2002/05/03 14:41
-	22	4971676.URPN.	USPAT	2002/05/03 14:49
-	72	4473455.URPN.	USPAT	2002/05/03 15:38
-	658294	h01I021\$.ipc.	JPO; DERWENT	2002/05/06 11:28
-	38699	c23c016\$.IPC.	JPO; DERWENT	2002/05/06 11:28
-	5201	(h01I021\$.ipc. OR c23c016\$.IPC.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	JPO; DERWENT	2002/05/03 16:29
-	228	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (actuator spring lock tab))	JPO; DERWENT	2002/05/03 16:33
-	211	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (spring lock tab))	JPO; DERWENT	2002/05/03 16:34
-	152	(h01I021\$.ipc. OR c23c016\$.IPC.) and (((holder support ring flange) with (peripher\$3 edge circumference circumscribe)) same (spring))	JPO; DERWENT	2002/05/03 16:52
-	353	((118/715,728).CCLS.) and ((holder support ring flange) same ((clamp clasp pin hold member projection) with (under below bottom)))	USPAT; US-PGPUB	2002/05/03 17:28
-	105	((118/715,728).CCLS.) and ((holder support ring flange) same ((clamp clasp pin hold member projection) with (under below bottom))) and spring	USPAT; US-PGPUB	2002/05/03 17:30
-	99	(269/297).CCLS.	USPAT; US-PGPUB	2002/05/03 18:03
-	2	tyveleijn.in.	EPO; DERWENT	2002/05/03 18:25
-	731	(118/503).CCLS.	USPAT; US-PGPUB	2002/05/03 18:26
-	5	118/705.ccls. and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe))	USPAT; US-PGPUB	2002/05/03 18:28
-	5	118/705.ccls. and ((jig jaw pin clamp clasp spring) with (beneath under below))	USPAT; US-PGPUB	2002/05/03 18:29
-	3	118/705.ccls. and ((jig jaw pin clamp clasp) with (beneath under below))	USPAT; US-PGPUB	2002/05/03 18:29
-	1	("5022619").PN.	USPAT; US-PGPUB	2002/05/05 15:54

-	3	((US-5391231-\$ or US-5383971-\$ or US-5094885-\$ or US-4558388-\$ or US-5863340-\$ or US-6245152-\$ or US-6048403-\$ or US-5421401-\$ or US-4978412-\$ or US-6277198-\$ or US-5925227-\$ or US-5458322-\$ or US-4971676-\$ or US-4473455-\$ or US-6365020-\$ or US-6328296-\$ or US-6299153-\$ or US-6076585-\$ or US-5700297-\$ or US-5184723-\$ or US-4898639-\$ or US-4788994-\$ or US-5022619-\$ or US-6368450-\$ or US-6355108-\$ or US-6287385-\$).did. or (US-5820686-\$ or US-5804042-\$ or US-5605866-\$ or US-5574247-\$ or US-5492566-\$ or US-5447570-\$).did. or (US-20010040329-\$ or US-20010047762-\$).did. or (WO-9918599-\$).did. or (JP-04320022-\$ or JP-62023102-\$ or JP-60105246-\$ or JP-04324954-\$ or JP-08181196-\$ or JP-06267855-\$).did. or (JP-2001210707-\$ or JP-60105246-\$ or US-6328296-\$).did.) and (epitaxial)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/05/05 16:11
-	985	(118/728).CCLS.	USPAT; US-PGPUB	2002/05/05 16:13
-	149	((118/728).CCLS.) and epitaxial	USPAT; US-PGPUB	2002/05/05 16:14
-	37	((118/728).CCLS.) and (epitaxial with (chamber furnace))	USPAT; US-PGPUB	2002/05/05 17:02
-	0	suzuki adj kazuka	USPAT; US-PGPUB	2002/05/05 17:03
-	0	"972030738"	EPO; DERWENT	2002/05/05 17:08
-	0	"97203073"	EPO; DERWENT	2002/05/05 17:29
-	2	tyveleijn	EPO; DERWENT	2002/05/05 17:19
-	3	"948806"	EPO; DERWENT	2002/05/05 17:16
-	0	6328296.URPN.	USPAT	2002/05/05 18:03
-	22	4971676.URPN.	USPAT	2002/05/05 19:20
-	0	(118/715,728 and (ring same (clamp jig pin spring clasp member))).CCLS.	USPAT; US-PGPUB	2002/05/05 18:51
-	0	118/715,728 and (ring same (clamp jig pin spring clasp member))	USPAT; US-PGPUB	2002/05/05 18:51
-	8	("3756550" "4473455" "4779877" "4971676" "5136754" "5458322" "5605866" "5820684").PN.	USPAT	2002/05/06 09:30
-	1	("5820624").PN.	USPAT; US-PGPUB	2002/05/06 09:33
-	1	("5820684").PN.	USPAT; US-PGPUB	2002/05/06 09:36
-	4	"5820684"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 09:38
-	9	"9603470"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:08
-	1	"4971676".PN.	USPAT	2002/05/06 09:56
-	1	5820684.URPN.	USPAT	2002/05/06 09:56
-	1	"60105246"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:09
-	1	"58212346"	USPAT; US-PGPUB; EPO; DERWENT	2002/05/06 10:10
-	2	"60105246"	JPO; DERWENT	2002/05/06 10:10
-	49	4788994.URPN.	USPAT	2002/05/06 10:19

-	1	("5183245").PN.	USPAT; US-PGPUB	2002/05/06 11:10
-	27	("4458746" "4473455" "4978412" "5119761" "5228501" "5262029" "5292399" "5316278" "5326725" "5328722" "5352294" "5376180" "5403459" "5421401" "5437757" "5439524" "5447570" "5456756" "5460703" "5534110" "5540821" "5632873" "5725718" "5810931" "5851299" "5860640" "6051122").PN.	USPAT	2002/05/06 11:24
-	38983	c23c016\$.IPC.	JPO; DERWENT	2002/05/06 11:29
-	660865	h011021\$.ipc.	JPO; DERWENT	2002/05/06 11:29
-	43	((118/715,728).CCLS.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))	USPAT; US-PGPUB	2002/05/06 11:40
-	146	(c23c016\$.IPC. h011021\$.ipc.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))	JPO; DERWENT	2002/05/06 12:05
-	1	((c23c016\$.IPC. h011021\$.ipc.) and ((holder support ring flange) with (peripher\$3 edge circumference circumscribe) with (slant slope taper angle))) and reticle	JPO; DERWENT	2002/05/06 12:26
-	2	"60105246"	JPO; DERWENT	2002/05/06 12:26
-	2	((("5170714") or ("4593644")).PN.	USPAT; US-PGPUB	2003/01/23 16:43
-	21	4593644.URPN.	USPAT	2003/01/23 16:02
-	17	("3602192" "3659551" "3705714" "3805736" "3877134" "4033287" "4047624" "4137550" "4152535" "4282268" "4309241" "4313254" "4328258" "4379181" "4389967" "4450786" "4461783").PN.	USPAT	2003/01/23 16:16
-	0	("(substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (hold\$3 support\$3 susceptor chuck)").PN.	EPO; JPO; DERWENT	2003/01/23 16:19
-	837	(substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (hold\$3 support\$3 susceptor chuck)	USPAT; US-PGPUB	2003/01/23 16:22
-	408	(substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (hold\$3 support\$3 susceptor chuck)	EPO; JPO; DERWENT	2003/01/23 16:21
-	24	(substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (susceptor chuck)	EPO; JPO; DERWENT	2003/01/23 16:50
-	73	(substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (susceptor chuck)	USPAT; US-PGPUB	2003/01/23 16:50
-	0	6254687.URPN.	USPAT	2003/01/23 16:40
-	3	("4858558" "5427620" "5679405").PN.	USPAT	2003/01/23 16:40
-	48	takahashi.in. and susceptor	USPAT; US-PGPUB	2003/01/23 16:43
-	5	("5038711" "5427620" "5554224" "5679405" "5688331").PN.	USPAT	2003/01/23 16:44
-	843	(substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck)	EPO; JPO; DERWENT	2003/01/23 16:51
-	1654	(substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck)	USPAT; US-PGPUB	2003/01/23 16:51
-	130	c23c016\$.ipc. and ((substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck))	EPO; JPO; DERWENT	2003/01/23 16:52
-	570	118/\$.ccls. and ((substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck))	USPAT; US-PGPUB	2003/01/23 16:52
-	542	(118/\$.ccls. and ((substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck))) not ((substrate wafer semiconductor) with (parallel) with (vertical\$3 longitude longitudinal\$3) with (susceptor chuck))	USPAT; US-PGPUB	2003/01/23 16:53

	126	(c23c016\$.ipc. and ((substrate wafer semiconductor) with (parallel vertical\$3 longitude longitudinal\$3) with (susceptor chuck))) not ((substrate wafer semiconductor) with (parallel with (vertical\$3 longitude longitudinal\$3) with (susceptor chuck)))	EPO; JPO; DERWENT	2003/01/23 16:53
--	-----	---	-------------------	------------------